CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

(Council of Scientific & Industrial Research)

196, Raja S. C. Mullick Road, Kolkata-32, website: www.cgcri.res.in

Advt. No. GC/R&A/GAP0376/SG/EMDD/2021-22(12)

A **Walk-in-Interview** will be held at this Institute on **21.10.2021 from 11.30** A.M onwards to engage bonafide Indian citizen in the following project(s), tenable at CSIR-CGCRI, Kolkata as per details furnished below:

Project No. & Project	Position, No. of	Essential Qualification, Age (As on date of	Advt .			
Title and Tenure	Positions, Stipend	interview)	No.			
GAP0376		M.Sc in Chemistry with valid NET(JRF/LS)				
"Nanostructured		OR				
Semiconductor-		BE/B.Tech in Chemical Engg./Materials Science &				
Conjugated Polymer based		Engg./Chemical Technology/Polymer Engineering	R&			
Hybrid Photocatalysts for		with valid NET/GATE Qualification	 ନୁ			
Efficient Solar Water	Junior Research Fellow	OR	APO.			
Splitting"	- 01 No.	ME/M.Tech in Chemical Engineering/Materials	376			
Initially for 1 year, likely to	Stipend - Rs.31,000/-	Science & Engineering/Nano Sc./Nano Tech. with	/sg,			
be extended upto	+ HRA as admissible	valid NET/GATE Qualification				
17.08.2024	p.m	Age: 28 Years	DD/			
or		The upper age limit is relaxable upto 5 years in case	202			
Co-terminus with the		of candidates belonging to SC/ST/Physically	1-2;			
duration of the project,		Handicapped/Visually Handicapped/Female, whereas	GC/R&A/GAP0376/SG/EMDD/2021-22(12)			
whichever is earlier as		3 years in case of OBCs (Non-Creamy layer				
well as fund availability.		candidates).				

Interested candidates are requested to attend the above Walk-in-Interview along with Application Form & Bio-Data in the prescribed format as furnished herein-under, duly **TYPED** (not hand-written) enclosing self attested copies of each supporting documents/certificates.

Separate Application is required, if applied for more than one position(s)/Advt. No(s) as and when applicable.

The original certificates should also be brought with him/her at the time of interview for verification. The candidates should carry copies of their project thesis with them, if any. The candidates should report at least ONE HOUR before the scheduled time of interview for verification of documents. No candidate(s) will be allowed to enter the Institute, if arriving after Reporting Time.

Incomplete applications without prescribed format and supporting documents will be summarily rejected. Candidates who are presently engaged in any Project either in CGCRI or any other Organization/Labs/Instts., should produce the NOC from his/her existing Project Leader, failing which, they will not be allowed to appear in the interview. Candidate(s) with results awaited will not be eligible. Candidate(s) must calculate the percentage from CGPA/DGPA as per the calculation rule of University/Institute (Self Attested copy of the rule to be attached), failing which he/she may not be allowed to appear in the Interview Board. CSIR-CGCRI reserves the right not to fill up the position (s), if it so desired by the Competent Authority. The number of position(s) may increase/decrease, as per the requirement of the Institute. The decision of the Institute shall be final in this regard. Interim enquiries in this respect will not be entertained.

Administrative Officer

CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

(Council of Scientific & Industrial Research)

196, Raja S. C. Mullick Road, Kolkata-32, website: www.cgcri.res.in

Advt. No. GC/R&A/GAP1506/AKRC/SERB/2021-22(7a)

A **Walk-in-Interview** will be held at this Institute on **22.10.2021 from 11.00** A.M onwards to engage bonafide Indian citizen in the following project(s), tenable at CSIR-CGCRI, Kolkata as per details furnished below:

Project No. & Project	Position, No. of	Essential Qualification, Age (As on date of	Advt .	
Title and Tenure	re Positions, Stipend interview)		No.	

		Doctoral Degree in Science (Physics/Chemistry/Materials Science)							
		Or	90						
GAP01506		Masters Degree in Engineering or Technology from a	C/R&A/GAP						
"Studies and development		recognized University or Equivalent, and	Ã/O						
of novel sensing materials		Three years experience in R&D in Industrial &							
and sensing device		Academic Institutions or S&T Organizations and							
platforms"		Stipend – Rs.67,000/- Desirable: Experience in Materials Characterization							
Tenure: Upto 30.11.2022									
or		and Sensor Material Development.	1506/AKRC/SEF						
Co-terminus with the	p.m	Age: 40 Years	₹В/2						
duration of the project,		The upper age limit is relaxable upto 5 years in case	RB/2021						
whichever is earlier		of candidates belonging to SC/ST/Physically							
		Handicapped/Visually Handicapped/Female, whereas	·22(7a)						
		3 years in case of OBCs (Non-Creamy layer							
		candidates).							

Interested candidates are requested to attend the above Walk-in-Interview along with Application Form & Bio-Data in the prescribed format as furnished herein-under, duly **TYPED** (not hand-written) enclosing self attested copies of each supporting documents/certificates.

Separate Application is required, if applied for more than one position(s)/Advt. No(s) as and when applicable.

The original certificates should also be brought with him/her at the time of interview for verification. The candidates should carry copies of their project thesis with them, if any. The candidates should report at least ONE HOUR before the scheduled time of interview for verification of documents. No candidate(s) will be allowed to enter the Institute, if arriving after Reporting Time.

Incomplete applications without prescribed format and supporting documents will be summarily rejected. Candidates who are presently engaged in any Project either in CGCRI or any other Organization/Labs/Instts., should produce the NOC from his/her existing Project Leader, failing which, they will not be allowed to appear in the interview. Candidate(s) with results awaited will not be eligible. Candidate(s) must calculate the percentage from CGPA/DGPA as per the calculation rule of University/Institute (Self Attested copy of the rule to be attached), failing which he/she may not be allowed to appear in the Interview Board. CSIR-CGCRI reserves the right not to fill up the position (s), if it so desired by the Competent Authority. The number of position(s) may increase/decrease, as per the requirement of the Institute. The decision of the Institute shall be final in this regard. Interim enquiries in this respect will not be entertained.

Administrative Officer

CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE

(Council of Scientific & Industrial Research)

196, Raja S. C. Mullick Road, Kolkata-32, website: www.cgcri.res.in

Advt. No. GC/R&A/MLP0307/SG/ACCD/2021-22(13)

A **Walk-in-Interview** will be held at this Institute on **22.10.2021 from 12.30** A.M onwards to engage bonafide Indian citizen in the following project(s), tenable at CSIR-CGCRI, Kolkata as per details furnished below:

Project No. & Project	Position, No. of	Essential Qualification, Age (As on date of	Advt .	
Title and Tenure	Positions, Stipend	interview)	No.	

MLP0307 "Advanced manufacturing of Nanofinished Ceramics and Hard alloy components by Laser Assisted Ductile Mode Machining" Initially for 6 months, or Co-terminus with the duration of the project (31.03.2022), whichever is earlier as well as fund availability.	Project Assistant - 01 No. Stipend - Rs.20,000/- + HRA as admissible p.m	3 year Diploma in Mechanical Engineering Age limit: 50 Years The upper age limit is relaxable upto 5 years in case of candidates belonging to SC/ST/Physically Handicapped/Visually Handicapped/Female, whereas 3 years in case of OBCs (Non-Creamy layer candidates).	GC/R&A/MLP0307/SG/ACCD/2021-22(13)
---	--	--	------------------------------------

Interested candidates are requested to attend the above Walk-in-Interview along with Application Form & Bio-Data in the prescribed format as furnished herein-under, duly **TYPED (not hand-written)** enclosing self attested copies of each supporting documents/certificates.

Separate Application is required, if applied for more than one position(s)/Advt. No(s) as and when applicable.

The original certificates should also be brought with him/her at the time of interview for verification. The candidates should carry copies of their project thesis with them, if any. The candidates should report at least ONE HOUR before the scheduled time of interview for verification of documents. No candidate(s) will be allowed to enter the Institute, if arriving after Reporting Time.

Incomplete applications without prescribed format and supporting documents will be summarily rejected. Candidates who are presently engaged in any Project either in CGCRI or any other Organization/Labs/Instts., should produce the NOC from his/her existing Project Leader, failing which, they will not be allowed to appear in the interview. Candidate(s) with results awaited will not be eligible. Candidate(s) must calculate the percentage from CGPA/DGPA as per the calculation rule of University/Institute (Self Attested copy of the rule to be attached), failing which he/she may not be allowed to appear in the Interview Board. CSIR-CGCRI reserves the right not to fill up the position (s), if it so desired by the Competent Authority. The number of position(s) may increase/decrease, as per the requirement of the Institute. The decision of the Institute shall be final in this regard. Interim enquiries in this respect will not be entertained.

Administrative Officer

CSIR-CENTRAL GLASS & CERAMIC RESEARCH INSTITUTE 196, Raja S. C. Mallick Road, Kolkata – 700 032. website: www.cgcri.res.in APPLICATION FORM

To The Director, CSIR-CGCRI, Kolkata-700032.

(Typed Applications will only be allowed)

Subject: Application for the position of:

Ref: Advt. No.

GC/R&A/

Date of Walk-in-Interview

Recent copy of passport size photograph with signature

1.	Name (in block letter):									
2.	Father's Name:									
3	Date of Birth:	4.	Age as on last date of receipt of application:		: Y	Y	М	М	D	D
5.	Sex:	6.	Marital Status:		7.	Caste				
8.	Address (Block Letters):				•	•		•		
9.	Mobile No.:		E-mail:							